



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

PO038643

Supplier: KLX001-VU
KLX Inc.
88289 Expedite Way
Chicago, IL 33172 USA
Phone: 305-925-2600
Fax: 305-507-7191

Attention: Pilon, Lucie

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: PO038643

PO Date: 12/13/17

Due Date: 12/15/17

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Baker, Diane
Phone: dbaker@dartaero.com

Via: Fedex Economy

Pymt Terms: COD

Freight Terms: Collect

Special Comments:

Items											
Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price	
6	ALS7-1032-130		Rivnut <i>Cancelled</i>	Firmed	12/13/17	1,000 Ea	0 Ea	1,000 Ea	\$0.11/Ea	\$110.00	
20	LN9038-05012		Bolt	Partial	12/15/17	200 pcs	148 pcs	52 pcs	\$1.07/pcs	\$55.64	
									Grand Total:	\$165.64	

Order Notes

Procurement Quality Clauses
A005 RIGHT OF ENTRY
A016 PERSONNEL QUALIFICATION
A026 CERTIFICATION OF MATERIAL CONFORMANCE
A032 PUBLIC LAW 101-592 FASTENER QUALITY ACT
A033 STATEMENT OF CONFORMITY/TEST RECORDS FOR NAS, AN and MS FASTENERS
A040 NOTIFICATION OF QUALITY ESCAPE
A041 QUALITY MANAGEMENT SYSTEM
A042 DART NOTIFICATION BY SUPPLIER
A043 RETENTION OF QUALITY DOCUMENTS

A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM

A049 SUPPLIER AWARENESS

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 1/8/18 9:30 AM dart.baker.diane

SOLD TO:

002409
DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON
CANADA K6A 1K7



SHIP TO:

DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON
CANADA K6A 1K7

ORDER NO.		DATE	SHIP VIA	TERMS		SHIPPING TERMS	
PO038643		01/09/18	FEDX INTL ECON COLL	NET 30		EXW-BURGESS HIL	
ITEM NO.	QUANTITY ORDERED	PART NUMBER AND DESCRIPTION	PRICE	UNIT	BACK ORDER	SHIPPED	AMOUNT
20	52	LN9038-05012 TARIFF: 73181595 Description BOLT ECCN :EURNL MFR: AHG ATELIERS HAUTE CTRL#: 2014G06108 LOT#: 291280 P001 F002 LOT QTY: 52 Country of Origin FRANCE Export Supply 0% VAT according to Art 146 (1) (a), EU VAT Directive 2006/112/EC *p180X** Based on information provided by the respective manufacturer(s) this *p180X** product contains a Substance of Very High Concern (SVHC), Cadmium, CAS *p180X** 7440-43-9, as listed on the candidate list, REACH (EC) 1907/2006 (in a *p180X** concentration above 0,1 % w/w). Ultimate Destination DART AEROSPACE LTD 1270 ABERDEEN ST HAWKESBURY ON K6A 1K7 CANADA	1.070	EA	0	52	55.64
CONTINUED							
MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY KLX INC.							

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

SHIPPED FROM: KLX INC., CHARLES AVENUE, BURGESS HILL, WEST SUSSEX RH15 9UF, UK

MATERIAL CERTIFICATION: KLX INC. ("KLX AEROSPACE SOLUTIONS") WARRANTS THAT THE ITEMS SUBJECT OF THIS INVOICE WILL BE FREE FROM DEFECTS OF MATERIAL AND WORKMANSHIP AND, AS SET FORTH ON THE MATERIAL CERTIFICATION FORM ACCOMPANYING THE ITEMS SUBJECT OF THIS INVOICE, ARE IN CONFORMITY WITH ALL CURRENT GOVERNMENTAL REQUIREMENTS AND THE SPECIFICATIONS OF THE RESPECTIVE MANUFACTURERS. KLX AEROSPACE SOLUTIONS DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ALL WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE. THE LIABILITY OF KLX AEROSPACE SOLUTIONS IS EXPRESSLY LIMITED EXCLUSIVELY TO REPLACEMENT BECAUSE OF A DEFECT IN MATERIAL OR WORKMANSHIP SUCH REPLACEMENT SHALL OF ANY ITEM WHICH IS REJECTED CONSTITUTE SATISFACTION OF ALL LIABILITY KLX AEROSPACE SOLUTIONS MAY HAVE IN CONNECTION WITH SUCH ITEM, WHETHER LIABILITY IS BASED UPON CONTRACT RIGHTS, NEGLIGENCE, OR OTHERWISE, AND IN NO EVENT SHALL KLX AEROSPACE SOLUTIONS BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES. FURTHER, KLX AEROSPACE SOLUTIONS MUST BE NOTIFIED OF A REJECTION OF AN ITEM WITHIN 30 DAYS AFTER RECEIPT BY THE CUSTOMER.

PACKING SLIP

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS PACKING SLIP, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:
<http://www.KLXAerospace.com/conditions-sale/>



SOLD TO:

002409
DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON
CANADA K6A 1K7



SHIP TO:

DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON
CANADA K6A 1K7

ORDER NO. PO038643		DATE 01/09/18	SHIP VIA FEDX INTL ECON COLL		TERMS NET 30	SHIPPING TERMS EXW-BURGESS HIL		
ITEM NO.	QUANTITY ORDERED	PART NUMBER AND DESCRIPTION		PRICE	UNIT	BACK ORDER	SHIPPED	AMOUNT
	# 1=CTN	1.00 Lb / 0.45 Kg						
	FREIGHT ACCT# 15179324-0							
	TEL# 613-632-3336							
	DIMENSIONS: Lg BagXX							
INVOICE#.....		JH1M7N						
ORDER#.....		B62Y24						
* CUST VAT								
* KLX VAT GB 202 3356 57								
NBP RATIO AS OF 01/08/2018: 0.7371								
NET Amount GBP: 41.01								
VAT Amount GBP: 0.00								
TOTAL AMOUNT GBP: 41.01								
wau B62Y24		SHIPPED ON 01/09/18						
						SUBTOTAL : 55.64		
						HANDLING : 0.00		
						DISC/ALL : 0.00		
						INCM FRT : 0.00		
						FREIGHT : 0.00		
						TOTAL : 55.64USD		
						U.S. CURRENCY		

MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY KLX INC.

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

SHIPPED FROM: KLX INC., CHARLES AVENUE, BURGESS HILL, WEST SUSSEX RH15 9UF, UK

MATERIAL CERTIFICATION: KLX INC. ("KLX AEROSPACE SOLUTIONS") WARRANTS THAT THE ITEMS SUBJECT OF THIS INVOICE WILL BE FREE FROM DEFECTS OF MATERIAL AND WORKMANSHIP AND, AS SET FORTH ON THE MATERIAL CERTIFICATION FORM ACCOMPANYING THE ITEMS SUBJECT OF THIS INVOICE, ARE IN CONFORMITY WITH ALL CURRENT GOVERNMENTAL REQUIREMENTS AND THE SPECIFICATIONS OF THE RESPECTIVE MANUFACTURERS. KLX AEROSPACE SOLUTIONS DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ALL WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE. THE LIABILITY OF KLX AEROSPACE SOLUTIONS IS EXPRESSLY LIMITED EXCLUSIVELY TO REPLACEMENT BECAUSE OF A DEFECT IN MATERIAL OR WORKMANSHIP SUCH REPLACEMENT SHALL OF ANY ITEM WHICH IS REJECTED CONSTITUTE SATISFACTION OF ALL LIABILITY KLX AEROSPACE SOLUTIONS MAY HAVE IN CONNECTION WITH SUCH ITEM, WHETHER LIABILITY IS BASED UPON CONTRACT RIGHTS, NEGLIGENCE, OR OTHERWISE, AND IN NO EVENT SHALL KLX AEROSPACE SOLUTIONS BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES. FURTHER, KLX AEROSPACE SOLUTIONS MUST BE NOTIFIED OF A REJECTION OF AN ITEM WITHIN 30 DAYS AFTER RECEIPT BY THE CUSTOMER.

PACKING SLIP

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS PACKING SLIP, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:
<http://www.KLXAerospace.com/conditions-sale/>





Tel: +1.305.925.2600 • Fax: +1.305.507.7191 • www.KLXaerospace.com
Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001
Wire Instructions: KLX Inc. • JPMorgan Chase Bank New York
ABA: 021000021 • Account: 304639273 • SWIFT: CHASUS33 • CHIP UID: 0002

INVOICE NUMBER

JH1M7N

PAGE 1 OF 2

SOLD TO:

002409
DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON
CANADA K6A 1K7

SHIP TO:

DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON
CANADA K6A 1K7



ORDER NO.		DATE	SHIP VIA	TERMS		SHIPPING TERMS		
PO038643		01/09/18	FEDX INTL ECON COLL	NET 30		EXW-BURGESS HILL		
ITEM NO.	QUANTITY ORDERED	PART NUMBER AND DESCRIPTION		PRICE	UNIT	BACK ORDER	SHIPPED	AMOUNT
20	52	LN9038-05012 BOLT ECCN :EURNL Country Origin: FRANCE TARIFF: 73181595 MFR: AHG ATELIERS HAUTE CTRL# : 2014G06108 LOT# : 291280 P001 F002 LOT QTY: 52 ** Based on information provided by the respective manufacturer(s) this ** product contains a Substance of Very High Concern (SVHC), Cadmium, CAS ** 7440-43-9, as listed on the candidate list, REACH (EC) 1907/2006 (in a ** concentration above 0,1 % w/w). Export Supply 0% VAT according to Art 146 (1) (a), EU VAT Directive 2006/112/EC Ultimate Destination DART AEROSPACE LTD 1270 ABERDEEN ST HAWKESBURY ON K6A 1K7 CANADA		1.070	EA	0	52	55.64
CONTINUED								

MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY KLX INC.

MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY KLX INC.

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

SHIPPED FROM: KLX INC., CHARLES AVENUE, BURGESS HILL, WEST SUSSEX RH15 9UF, UK
VAT REGISTERED ADDRESS: KLX INC 10000 N.W. 15TH TERRACE, MIAMI, FL 33172

ORIGINAL INVOICE

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS INVOICE, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT: <http://www.KLXaerospace.com/conditions-sale/>



P.O. Box 025263, Miami, FL 33102-5263 • Tel: 305.925.2600 • Fax: 305.507.7191
Plant Location: 10000 N.W. 15th Terrace, Miami, FL 33172 • SITA: MIAMMCR
www.KLXaerospace.com

Shipped From: KLX INC., CHARLES AVENUE, BURGESS HILL, WEST SUSSEX RH15 9UF, UK


Material Certification

The items set forth on the purchase order referred to below have been visually inspected and the dimensions thereof have been measured by us, and based on the aforesaid, as well as the representation made to us by the manufacturers of the items subject of such purchase order, we hereby certify that such items are in conformity with all current governmental and manufacturer's requirements, specifications, drawings, and conform to the purchase order requirements. Said items are in new condition and have not been obtained from any U.S. Government or Military source and are traceable to KLX Aerospace Solutions.

FIRM: DART AEROSPACE LTD

PURCHASE ORDER#: PO038643

LINE#	QUANTITY	U/M	PART-NUMBER	CUST REF#	LOT-NUMBER	MANUFACTURER	CCODE	Eff Date	EXP DATE
20	52	EA	LN9038-05012		291280 P001 P002	AHG ATELIERS HAUTE	F0095		



Jason Lewis
Senior Director, Global Quality

01/09/18

Inv #JH1M7N 01/09/18



ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

CERTIFICATE of CONFORMITY and TEST REPORT N° A594377

of 23 JUN 2014

ALEX Le 24/06/2014

ACCORDING TO NF L00-15C AND EN10204 TYPE 3.1

Page 1/ 2

Your P.O. nb. :	OXAL63 MLG3	of : 24 MAR 2014	Supplier number :
N° ack. :	291280	of : 24 MAR 2014	
Shipment to : (or notify party) B/E BURGESS HILL CHARLES AVENUE			
RH15 9UF BURGESS HILL GREAT BRITAIN			

ITEM	ORDERED	PART NUMBER	SHIPPED
1	6100 PCE	LN9038 - 05 012 vis TH toute filetee Acier 35NC6 cadmiée 5à9µ 35NC6	5819 PCE 34.072 Lb. **
Your Item : 1		marked Cadm.dichrom.coated	sol.+pre.t chamfer roll sorting
Technical spec :	DIN65149=dia<5/LN65010>=5		Coating per : cadm. cyanide 5-9µ EN2133
Lot nb	291280 P001 F002	Qty.: 5819 PCE	AHG Wire lot nb.: 204394
	NATO Cod : F0095	Origin: France	Original lot control N° 286367 P002- F002
	Manufacture heading date: 24 DEC 2013	Material Producer : BE	Coating date : 20 JUN 2014
Adherence/Adhesion Test	Conf=0 / Non Conf=1	Mini	Maxi
		0.0000	0.0000
Decarburation depth 08-509MO	Tete sauf sous tete	0.0000	0.0000
	autres zones	0.0000	0.0000
Durete/Hardness 08-146MO	Dureté/Hardness	269.0000	297.7000
	Dureté/Hardness	269.0000	298.7600
	Dureté/Hardness	269.0000	297.7000
	Dureté/Hardness	269.0000	296.1100
	Dureté/Hardness	269.0000	297.6600
Grain Flow conformity 08-400MO	Conforme O/N	Conf=0 & Non conf=1	0.0000 0.0000
		mesure centre/sstête	0.5000 0.6000 0.5000
Microstructure Conformity	Conforme O/N	Conf=0 & Non conf=1	0.0000 0.0000
Proof Load Test 08-523MO		D charge/Proof Load	950.0000 974.6855
		D charge/Proof Load	950.0000 1003.8719
Proof Load Test Déformat		Déformation/Set	12.5000 8.0000
		Déformation/Set	12.5000 8.0000

This test report shall not be reproduced, in part or in full, without the written permission of AHG.
Any alteration, forgery or fraudulent report will be punishable by the French Law.

Item 1 to be continued

./..



ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

CERTIFICATE of CONFORMITY and TEST REPORT N° A594377

of 23 JUN 2014

ALEX Le 24/06/2014

ACCORDING TO NF L 00-15C AND EN10204 TYPE 3.1

Page 2/ 2

Your P.O. nb. : **OXAL63 MLG3** of: **24 MAR 2014** Supplier number :
N° ack. : **291280** of: **24 MAR 2014**

ITEM	ORDERED	PART NUMBER	SHIPPED			
Item 1	Continuation	LN9038 - 05 012				
Ressuage/Fluorescent Penetrant	Conf=0 & Non conf=1		0.0000	0.0000	592	
	Nb pièces testées			592.0000		
Traction/Tensile 08-403MO	D Traction/Tensile	1280.0000		1388.6809	DaN	2
	vitesse/load rate	12.6000	15.4000	13.6977		
	D Traction/Tensile	1280.0000		1400.6517	DaN	
	vitesse/load rate	12.6000	15.4000	13.7657		
Oblique Tensile test	D Traction/Tensile	1280.0000		1352.7701	DaN	2
	vitesse/load rate	12.6000	15.4000	14.7048		
	D Traction/Tensile	1280.0000		1373.3473	DaN	
	vitesse/load rate	12.6000	15.4000	15.3022		

C	CR	CU	MN	NI	P	S	SI			FE
0,35800	1,00100	0,18400	0,82000	1,38900	0,01200	0,00700	0,28900			BALANCE

OUR AIRBUS SAS APPROVAL NUMBER IS : 30030 of 31 August 2007
OUR BAE SYSTEMS APPROVAL LETTER REFERENCE IS : ACO/A/LT/JJH/3035


This test report shall not be reproduced, in part or in full, without the written permission of AHG.
Any alteration, forgery or fraudulent report will be punishable by the French Law.

Parts manufactured by AHG and delivered under this CoC are DFARS compliant per DFAR 252.225-7009

We hereby declare, subject to exceptions, reservations, or concessions listed in this statement of conformity, that the listed supplies comply with the contract requirements and that, after completion of testing and verification, they satisfy in every respect all specified requirements and applicable standards and regulations.

SUPPLIER'S INSPECTION 23 JUN 2014
NAME AND FUNCTION

Gilles GUISET CTLF Chef Service Contrôle
Computer controlled signature



** Estimated quantity

--- TRUE COPY CERTIFICATION ---

**CERTIFICAT DE RECEPTION TYPE 3.1**

Conforme à la EN 10204

INSPECTION CERTIFICATE - TYPE 3.1

Conforms to EN 10204

N° Certificat : 1

N° Lot : 60967/0

N° de Commande : 118578MPVI

Purchase Order N°

Date : 17/06/13

Référence Client : 01023135-0440

Customer Reference :

N° Bon de Livraison :

Delivery Note N° :

Poids :

Weight :

1967 KG

Désignation Produit : Fil tréfilé 4.40 mm(+/- 0.02)

Product ordered : Etat recuit

revellement phosphaté

35NC6

Client : ATELIERS DE LA HTE GARONNE

Customer :

26 ROUTE DE LASBORDES

ZI DE FLOURENS

31130 FLOURENS

FRANCE

Spécifications : Cahier des charges 02-286/CC

Specifications : + Cahier des charges SM-35 indice B

Capable de :

Capable of :

Analyse chimique / Chemical analysis - % masse / % weight

N° Coulée :

Heat N° :

065316

Al	C	Cr	Cu	Fe	Mn	Mo	Ni	P	S	Si
0.025	0.358	1.001	0.184	BALANCE	0.82	0.0512	1.389	0.012	0.007	0.289

N° certificat

Orig. mill N° :

2272619/02

PROPRIETES MECANQUES / MECHANICAL PROPERTIES

Etat métallurgique / Metallurgical condition	ESSAI DE TRACTION / TENSILE TEST					Taille grain / Grain size	Dureté / Hardness	
	0 (°C)	Rm (Mpa)	Rp0.2% (Mpa)	A%	Z%			
Etat de livraison / As shipped properties	TA					9	180	HB
Etat de référence 1 / Capability condition 1 850°C/30MIN/HUILE+575°C/1/AIR	TA	925.0	834	15.0			288	HB
Fluage / Stress rupture		Mpa	h					
Etat de référence 2 / Capability condition 2	TA							
Fluage / Stress rupture		Mpa	h					
Etat de référence 3 / Capability condition 3	TA							
Fluage / Stress rupture		Mpa	h					

AUTRES CONTRÔLES / OTHER INSPECTIONS :

Etat de surface / Surface condition : SATISFAISANT

Contrôle dimensionnel / Dimensional inspection : 4.40 mm +/-0.02

ELABORATION ASCOMETAL

CONTROLE U.S SUR BILLETTE

RESILIENCE KCU SUR 1/2 PRODUIT 10.2 DAJ/CM2

Référence des dérogations / Concessions list :

Nous déclarons que sauf exceptions ou dérogations énumérées ci-dessus, la fourniture citée a été fabriquée conformément aux spécifications techniques du marché, commande, ou sous-commande du Client, et que toutes opérations de contrôle et essais effectués, elle répond sous tous ses aspects, aux spécifications particulières, aux plans, ainsi qu'aux normes en vigueur s'y rapportant.

We declare that unless otherwise stated, the above described products have been manufactured, tested and inspected in accordance with the technical specification of the contract, order or subcontract applicable thereto and conforms fully to the special requirements, drawings and standards quoted hereon.

Le signataire habilité :

The authorised signatory :

Date édition : 15/07/2013

C.FERRAGUTI
Agent de certification



Usine de FOS SUR MER
Boite Postale 40030
13771 Fos-sur-Mer cedex

Téléphone : 04 42 47 93 00
Télécopie : 04 42 05 45 01

CERTIFICAT DE RECEPTION

03/06/2013

COMMANDE N° 2589610

CODE FC33

V/REF : 5151
YOUR ORDER/THRE BEZICHEN

DU : 26/09/2012
DATED/LATUN

AFFAIRE SUIVIE PAR : DVP SUD CLI
YOUR CONTACT IS/BEARBEITER

DESTINATAIRE DOCUMENT :
DOCUMENT FOR/EMPFANGER

M/REFERENCE : 2272619 / 02
ACCOMPLISH ORDER/WERKSBESTELLUNG

BROWN EUROPE SAS

N° AVIS D'EXPEDITION : 2013008033 MASSE : 4255

LAVAL DE CERE
46130 LAVAL DE CERE
FRANCE

ADVICE NOTE NO./LIEFERKUNDE

N° DE LOT : F 2589610

WORKS ORDER NUMBER/REFERENZ WERK FOL

COULEE : 065316

MUANCE : 35NC6

CAST/SCHMELZE

GRADE/WERKSTOFF

PRODUITS : 35NC6 FILSMACH. 0008,000 MM BRUT LAMIN REC.GLOBUL DECAP.SEUL

PRODUCT DESCRIPTION/SPECIFICATION

SPECIFICATION : AIR 9160 C/EN2438/LOFC 55D

IND : SANS

DATE : 00/00/2000

SPECIFICATION/SPECIFICATION : CLASSE 2 AIR 0819+MBE 00

RECEPTION :

DATED/DATUM

ANALYSE : (M %)

LADLE ANALYSIS/SCHNELZENANALYSE

CODE	ELEMENT		C	SI	MN	NI	CR	MO	CU	S	P	AL
MINI	SPEC MIN	MINI	0,300	0,100	0,600	1,200	0,050					
VALEUR	ACTUAL	WERTE	0,358	0,289	0,820	1,389	1,001	0,0512	0,184	0,0070	0,012	0,035
MAXI	SPEC MAX	MAXI	0,370	0,400	0,900	1,400	1,100			0,0200	0,025	

COMMENTAIRES

COMMENTS/ANMERKUNGEN

ELABORATION POUR ELECTRIQUE VOIE LINGOTS DEGAZE SOUS VIDE

ESSAI JOMINY

: (MM / HRC / 850° C)

JOMINY TEST/HARTHARTKEIT ERGEBNISSE

DISTANCE	DISTANCE	ABSTAND	5,0	9,0	15,0	25,0	40,3
MINI	SPEC MIN	MINI	49,0	48,0	44,0	40,0	35,3
VALEUR	ACTUAL	WERTE	54,6	53,0	51,5	46,4	42,4
MAXI	SPEC MAX	MAXI	50,0	57,0	55,0	53,0	50,0

CARACTERISTIQUES MECANQUES DE COULEE :

MECHANICAL PROPERTIES ON TEST COUPON/SCHNELZEN MECHANISCHE EIGENSCHAFTEN

TRAITEMENT TREATMENT/BEFESTIGKEIT

TREMPER :

HUILE

TEMPERATURE :

850 ° C

REVENIR :

575 ° C

DUREE :

0,5

QUENCHED/ABSCHRECKHARTEN

TEMPERATURE/TEMPERATUR

TEMPERED/VERULTRIT

TIME/DAUER

TRACTION TENSILE/SUGFESTIGKEIT

DIAMETRE DIAMETER/DIAMETER

10,0

RM N/MM2

RE N/MM2

A

MINI

SPEC MIN

MINI

880,0

740,0

14,0

VALEUR

ACTUAL

WERTE

1064,0

997,0

15,0

MAXI

SPEC MAX

MAXI

1060,0

RESILIENCE

LONG

LONG

IMPACT TEST

KERNSCHLAGZAHNIGKEIT

LONGITUDINAL

LANGS

TYPE

TEMP

MIN

MAX

VAL

UNITE

KCU

7,0

10,2 DAT/CHD

CARACTERISTIQUES DE LIVRAISON

PROPERTIES IN SUPPLY CONDITION

TRACTION TENSILE/SUGFESTIGKEIT

RM N/MM2

MINI

SPEC MIN

MINI

637

VALEUR

ACTUAL

WERTE

650

MAXI

SPEC MAX

MAXI

650

Page : 1

Notre certifier que les produits ci-dessus ont conformes aux prescriptions de la commande et respectent la directive européenne 2011/53/CE du 18 septembre 2011. Wir bestätigen hiermit, dass die obengenannten Chargen der Bestellung entsprechen und der Toleranzen der europäischen Normen entsprechen. Alle in diesen Stahlwerken hergestellten Schmelzen werden kontrolliert, so dass die gelieferten Produkte keine Radioaktivität mitführen, die höher ist als die natürliche Strahlung der Umwelt.

S.A.S au capital de 65 285 430 Euros - RCS Nanterre : B 331 048 132 Siret : 331 048 132 00020 - Code NAF : 2410Z
Siège Social : Immeuble le Colisée 8, avenue de l'Arche faubourg de l'Arche 92419 Courbevoie cedex



Usine de FOS SUR MER
Boite Postale 40030
13771 Fos-sur-Mer cedex

Téléphone : 04 42 47 93 00
Télécopie : 04 42 05 45 01

CERTIFICAT DE RECEPTION

03/06/2013

COMMANDE

N° 2589610

CODE FC33

V/REF : 5151
YOUR ORDER/INNR ZEICHN

DU : 26/09/2012
DATED/DATUM

AFFAIRE SUIVIE PAR : DVP SUD CLI

YOUR CONTACT IS/BEARBEITER

N/REFERENCE : 2272619 / 02

ASSEMBLY ORDER/WERKSBESTELLUNG

N° AVIS D'EXPEDITION : 2013008033 MASSE : 4255

ADVICE NOTE NO./ANFORDERUNG

N° DE LOT : F 2589610

WORKS ORDER NUMBER/ANFORDERUNG WERK FÜR

COULÉE : 065316

CAST/SCHMELZE

NUANCE : 35NC6

GRADE/WERKSTOFF

PRODUITS : 35NC6 FILSMACH, 0008,000 MM BRUT.LAMIN REC.GLOBUL DECAP.SEUL

PRODUCT DESCRIPTION/SPEZIFIKATION

SPECIFICATION : AIR 9160 C/EN2438/LOFC 55D

SPECIFICATION/SPEZIFIKATION : CLASSE 2 AIR 0819-MRE 00

DESTINATAIRE DOCUMENT :

DOCUMENT FOR/EMPFANGER

BROWN EUROPE SAS

LAVAL DE CERE
46130 LAVAL DE CERE
FRANCE

IND : SANS

REV/ENTWURF
RECEPTION :

DATE : 00/00/2000

DATED/DATUM

INFORMATIONS COMPLEMENTAIRES

ADDITIONAL INFORMATION

CONTROLE ULTRA-SONS

CONTROLE MAGNETOSCOPE

CONTROLE TAILLE GRAIN

ULTRASONIC EXAMINATION

MAGNETIC PARTICLE INSP

GRAIN SIZE

ULTRASCHALL PRÜFUNG

MAGNETISKOPISCHE PRÜFUNG

KORNGRÖSSE

KORRE

ACCOMETAL

MAGNETISKOPISCHE PRÜFUNG

AIR 0819 CLASSE 2

RESULTATS

100% CONFORME

CONFORME

7-8

COMMENTAIRES

COMMENTS/ANMERKUNGEN

CONTROLE ANTI-MELANGE CONFORME

CONTROLE US CONFORME A 100: 04 25 117 B CLASSE A

DEFAUT DE SURFACE +0.03MM

DECARS GLOBALE +0.04MM

CERTIFICAT DE RECEPTION CONFORME EN 10204 3-1
ABHÄNGIGKEITENACH EN 10204 3-1
INSPECTION CERTIFICATE ACCORDING TO EN 10204 3-1

LE RESPONSABLE SPECIFICATIONS
SPEZIFIKATIONSLEITER
SPECIFICATION MANAGER

A. GENTA

Page : 2
(dernière page)

Nous certifions que les produits ci-dessus sont conformes aux prescriptions de la commande et respectent la directive européenne 2011/33/CE du 18 septembre 2011. Toutes les copies réalisées dans nos archives sont contrôlées et nous permettront de garantir que tous nos produits livrés présentent un niveau de radioactivité au plus égal à la radioactivité ambiante et sont donc exempts de toute pollution.

We hereby certify that above-mentioned products comply with the order requirements and respect the European Directive 2011/33/CE of 18 September 2011. All copies made in our archives are inspected, enabling us to guarantee that products supplied have a level of radioactivity not exceeding that present in the environment and are therefore free of any radioactive contamination.

Wir bestätigen hiermit, dass die obigenbestellten Erzeugnisse den Beschuldigungsrichtlinien und der Richtlinie 2011/33/CE vom 18 September 2011 entsprechen. Alle in unseren Archiven hergestellten Schichten werden kontrolliert, so dass die gelieferten Produkte kein Radioaktivität aufweisen, die höher ist als die natürliche Strahlung der Umwelt.

S.A.S au capital de 65 285 430 Euros - RCS Nanterre : B 331 048 132 Siret : 331 048 132 00020 - Code NAF : 2410Z
Siège Social : Immeuble le Collisée 8, avenue de l'Arche faubourg de l'Arche 92419 Courbevoie cedex



ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

CERTIFICATE of CONFORMITY and TEST REPORT

DB Le 26/06/2014

ACCORDING TO NF L00-15C AND EN10204 TYPE 3.1

Page 1/ 2

Shipment to : (or notify party) B/E BURGESS HILL CHARLES AVENUE RH15 9UF · BURGESS HILL GREAT BRITAIN	Shipment number : 127696 of : 26 JUN 2014 Supplier number : Number of packaging : 2 Gross weight : 16.45 kg. Net weight : 15.45 kg.
---	---

ORDERED	PART NUMBER	SHIPPED	BALANCE
---------	-------------	---------	---------

Your P.O. Number: OXAL63 MLG3/1

N° Ack/Item:291280/1

6100 PCE	LN9038 - 05 012 vis TH toute filetee Acier 35NC6 cadmiée 5à9µ 35NC6 marked Cadm.dichrom.coated	5819 PCE 34.000 Lb. **	281 PCE
----------	---	----------------------------------	----------------

Technical spec : DIN65149=dià<5/LN65010>=5

Coating per : cadm. cyanide 5-9µ EN2133

Lot nb 291280 P001 F002 Qty.: 5819 PCE AHG Wire lot nb.: 204394 Material heat nb.: 065316
N° CC: A594377 NATO Cod : F0095 Origin: France Original lot control N°286367 P002- F002
Manufacture heading date:24 DEC 2013 Material Producer :BE Coating date : 20 JUN 2014

SUPPLIER'S INSPECTION

NAME AND FUNCTION: Gilles GUISSET CTLEF Chef Service Contrôle
DATE 23 JUN 2014 Computer controlled signature



En application du Règlement REACH, cet article contient du cadmium N°CAS7440-43-9 à une concentration > 0,1% en poids
In accordance with REACH Regulation, this article contain cadmium N°CAS7440-43-9 at a concentration above 0,1%mas/mas

		Mini	Maxi	Value	Unit	Test#
Adherence/Adhesion Test	Conf=0 / Non Conf=1		0.0000	0.0000		1
Decarburation depth 08-509MO	Tete sauf sous tete autres zones		0.0000 0.0000	0.0000 0.0000	mm.	2
Durete/Hardness 08-146MO	Dureté/Hardness	269.0000		297.7000	HV10	5
	Dureté/Hardness	269.0000		298.7600	HV10	
	Dureté/Hardness	269.0000		297.7000	HV10	
	Dureté/Hardness	269.0000		296.1100	HV10	
	Dureté/Hardness	269.0000		297.6600	HV10	
Grain Flow conformity 08-400MO	Conforme O/N	Conf=0 & Non conf=1	0.0000	0.0000	xEp.T	2
	mesure centre/sstête	0.5000	0.6000	0.5000		
Microstructure Conformity	Conforme O/N	Conf=0 & Non conf=1	0.0000	0.0000	mm.	2
This test report shall not be reproduced, in part or in full, without the written permission of AHG.						
Any alteration, forgery or fraudulent report will be punishable by the French Law.						
Proof Load Test 08-523MO	Charge/Proof Load	950.0000		974.6855	DaN	2
Item 1	to be continued					

./..



ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

CERTIFICATE of CONFORMITY and TEST REPORT

DB Le 26/06/2014

ACCORDING TO NF L 00-15C AND EN10204 TYPE 3.1

Page 2/ 2

Shipment number : 127696 of : 26 JUN 2014
Supplier number :

ORDERED		PART NUMBER			SHIPPED			BALANCE	
Item 1	Continuation	LN9038 - 05 012							
		D charge/Proof Load	950.0000		1003.8719		DaN		
Proof Load Test Déformat		Déformation/Set		12.5000	8.0000		µm	2	
		Déformation/Set		12.5000	8.0000		µm		
Ressuage/Fluorescent Penetrant		Conf=0 & Non conf=1		0.0000	0.0000			592	
		Nb pièces testées			592.0000				
Traction/Tensile 08-403MO		D Traction/Tensile	1280.0000		1388.6809		DaN	2	
		vitesse/load rate	12.6000	15.4000	13.6977				
		D Traction/Tensile	1280.0000		1400.6517		DaN		
		vitesse/load rate	12.6000	15.4000	13.7657				
Oblique Tensile test		D Traction/Tensile	1280.0000		1352.7701		DaN	2	
		vitesse/load rate	12.6000	15.4000	14.7048				
		D Traction/Tensile	1280.0000		1373.3473		DaN		
		vitesse/load rate	12.6000	15.4000	15.3022				
C	CR	CU	MN	NI	P	S	SI		FE
0,35800	1,00100	0,18400	0,82000	1,38900	0,01200	0,00700	0,28900		BALANCE

OUR AIRBUS SAS APPROVAL NUMBER IS : 30030 of 31 August 2007
OUR BAE SYSTEMS APPROVAL LETTER REFERENCE IS : ACO/A/LT/JJH/3035

This test report shall not be reproduced, in part or in full, without the written permission of AHG.
Any alteration, forgery or fraudulent report will be punishable by the French Law.

Parts manufactured by AHG and delivered under this CofC are DFARS compliant per DFAR 252.225-7009

We hereby declare, subject to exceptions, reservations, or concessions listed in this statement of conformity, that the listed supplies comply with the contract requirements and that, after completion of testing and verification, they satisfy in every respect all specified requirements and applicable standards and regulations.

** Estimated quantity

--- TRUE COPY CERTIFICATION ---



ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

PACKING SLIP N° 127696

of 26/06/2014

P/ 1

DB

Supplier number :

Account N°: 8092

File N° : G 44

Represent.: 002B ANDREA GHEZZI

Coface N°

Shipment to
B/E BURGESS HILL
CHARLES AVENUE

Ordered by :
B/E BURGESS HILL
CHARLES AVENUE

RH15 9UF BURGESS HILL
GREAT BRITAIN

Tél: 0044 1444 828 000

Fax:

RH15 9UF BURGESS HILL
GREAT BRITAIN

Tél: 0044 1444 828 000

Fax:

Pre-carriage by : UPS 409W09 AHG STANDARD
TOULOUSE

Number of packaging : 2
Net weight : 15.455 Kg. Gross weight: 16.455 Kg.

ORDERED

PART NUMBER

QTY.SHIP.

SCHEDULED

TO BE DELIV.

AIRCRAFT PARTS

Manufactured by AHG - NATO: F0095 - Origin: FRANCE

Your P.O.Nbr: OXAL63 MLG3/1

Our Ack/Item:291280/001

6100 EA LN9038 - 05 012
39.295 Lb.** 35NC6

sol.+pre.t

5819 EA 03 JUL 2014 281 EA
34.072 Lb.**

marked

chamfer

Cadm.dichrom.coated roll sorting vis TH toute filetee Acier 35N

Technical spec: DIN65149=dia<5/LN65010>=5

Coating per: cadm. cyanide 5-9µ EN2133

Lot nb 291280 P 001 F002

Qty.: 5819 EA

** Estimated quantity